Chemistry and Physics of Lipids, 48 (1988) 297—299
Elsevier Scientific Publishers Ireland Ltd.

Subject Index

Volume 48 (1988)

3β-acetoxylanost-8-en-24-one, 24-ketolanosteryl acetate, lanost-8-en-3-ol-24-one, 24-ketolanosterol, oxysterol, oxylanosterol, 3-hydroxy-3-methylglutaryl CoA reductase, 255

bicyclo ketal, boron trifluoride, cyclization, 2,2'-oxirane, epoxy, fatty esters, tetrahydropyran, 77
bile salt, calcium palmitate precipitation, 231
bimolecular lipid membrane, herbicide, mode of action, 91
boron trifluoride, cyclization, 2,2-oxirane, epoxy, fatty esters, tetrahydropyran, bicyclo ketal, 77

^{13}C-enriched cholesterol oleate, tritium-labeled cholesterol oleate, high-performance liquid chromatography, ^{13}C-nuclear magnetic resonance, 147
^{13}C-nuclear magnetic resonance, ^{13}C-enriched cholesterol oleate, tritium-labeled cholesterol oleate, high-performance liquid chromatography, 147
calcium palmitate precipitation, bile salt, 231
chain packing, lipid X, thermodynamic properties, magnetic resonance techniques, micelle size, effects of pH and ions, 267
chemiluminescence, lipid hydroperoxide, luciferin, lipid peroxidation, site-specific reaction, 197
cholecalcipherol, phospholipids, differential scanning calorimetry, head groups structure, thermodynamic model, 69
cholesterol, marine invertebrates, sponges, phospholipids, (6*Z*,9*Z*)-6,9-hexacosadienoic acid, phase transition, 109
chylomicrons, 15-ketosterol, metabolism, 29
crystal structure analysis, 1,2-diglycerides, molecular conformation, 19
cyclic fatty acid monomers, synthesis, GC-MS, 119
cyclization, boron trifluoride, 2,2-oxirane, epoxy, fatty esters, tetrahydropyran, bicyclo ketal, 77
cyclosporin A, liposomes, dimyristoylphosphatidylcholine, phase transition, 1

deoxy-headgroup analogues, synthesis, 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1', 3'-propanediol), 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-propanol, 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1',3'-propanediol-3'-phosphate, 177
deuterium, pristanic acid, Favorsky, quantitation, GCMS, phytanic acid, 141
differential scanning calorimetry, electron spin resonance, low-density lipoproteins, 135
differential scanning calorimetry, phase diagrams, homologous cephalines, mixing behaviour, miscibility gap, 245
differential scanning calorimetry, phospholipids, cholecalcipherol, head groups structure, thermodynamic model, 69
differential scanning calorimetry, thermotropic phase behavior, polymerizable, tubule-forming phospholipid, 215
1,2-diglycerides, crystal structure analysis, molecular conformation, 19
dilauroylphosphatidic acid, surfactant lipid-membrane interaction, vesicle, phase transition, 189
dimyristoylphosphatidylcholine, liposomes, cyclosporin A, phase transition, 1
2,4-dinitrophenylhydrazide, ganglioside, high performance liquid chromatography, plasma desorption mass spectrometry, proton magnetic resonance spectrometry, 261
1,2-dipalmitoyl-*sn*-glycero-3-phosphorylcholine, palmitic acid, X-ray diffraction, phase transition, phase diagram, metastability, 205
2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1',3'-propanediol-3'-phosphate, deoxy-headgroup analogues, synthesis, 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1',3'-propanediol), 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-propanol, 177
2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1',3'-propanediol), deoxy-headgroup analogues, synthesis, 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-propanol, 2,3-diphytanyl-*sn*--glycerol-1-phosphoryl-1'(1',3'-propanediol-3'-phosphate, 177
2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-propanol, deoxy-headgroup analogues, synthesis, 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1',3'-propanediol), 2,3-diphytanyl-sn-glycerol-1-phosphoryl-1'-(1',3'-propanediol-3'-phosphate, 177

effects of pH and ions, lipid X, thermodynamic properties, magnetic resonance techniques, micelle size, chain packing, 267
electron spin resonance, differential scanning calorimetry, low-density lipoproteins, 135
electron spin resonance, glycosaminoglycan, low density lipoprotein, fluorescence, liposome, 83
epoxy, boron trifluoride, cyclization, 2,2'-oxirane, fatty esters, tetrahydropyran, bicyclo ketal, 77
9,12-epoxyoctadeca-9,11-dienoic acid, *erythro*-9,10-dihydroxy-12-oxooctadecanoic acid, furanoid fatty acid, potassium permanganate oxidation, 289
erythro-9,10-dihydroxy-12-oxooctadecanoic acid, 9,12-epoxyoctadeca-9,11-dienoic acid, furanoid fatty acid, potassium permanganate oxidation, 289

fatty esters, boron trifluoride, cyclization, 2,2′-oxirane, epoxy, tetrahydropyran, bicyclo ketal, 77
Favorsky, deuterium, pristanic acid, quantitation, GCMS, phytanic acid, 141
fluorescence, glycosaminoglycan, low density lipoprotein, electron spin resonance, liposome, 83
fluorescence polarization, pressure effect, liposome, poly(γ-benzyl-L-glutamate), peptide-lipid interaction, 169
furanoid fatty acid, 9,12-epoxyoctadeca-9,11-dienoic acid *erythro*-9,10-dihydroxy-12-oxooctadecanoic acid, potassium permanganate oxidation, 289

ganglioside, 2,4-dinitrophenylhydrazide, high performance liquid chromatography, plasma desorption mass spectrometry, proton magnetic resonance spectrometry, 261
GC-MS, cyclic fatty acid monomers, synthesis, 119
GCMS, deuterium, pristanic acid, Favorsky, quantitation, phytanic acid, 141
glycosaminoglycan, low density lipoprotein, electron spin resonance, fluorescence, liposome, 83

head groups structure, phospholipids, cholecalcipherol, differential scanning calorimetry, thermodynamic model, 69
herbicide, mode of action, bimolecular lipid membrane, 91
(6*Z*,9*X*)-6,9-hexacosadienoic acid, marine invertebrates, sponges, phospholipids, cholesterol, phase transition, 109
high-performance liquid chromatography, ^{13}C-enriched cholesterol oleate, tritium-labeled cholesterol oleate, ^{13}C-nuclear magnetic resonance, 147
high performance liquid chromatography, ganglioside, 2,4-dinitrophenylhydrazide, plasma desorption mass spectrometry, proton magnetic resonance spectrometry, 261
homologous cephalines, phase diagrams, differential scanning calorimetry, mixing behaviour, miscibility gap, 245
3-hydroxy-3-methylglutaryl CoA reductase, 3β-acetoxylanost-8-en-24-one, 24-ketolanosteryl acetate, lanost-8-en-3-ol-24-one, 24-ketolanosterol, oxysterol, oxylanosterol, 255

24-ketolanosterol, 3β-acetoxylanost-8-en-24-one, 24-ketolanosteryl acetate, lanost-8-en-3-ol-24-one, oxysterol, oxylanosterol, 3-hydroxy-3-methylglutaryl CoA reductase, 255
24-ketolanosteryl acetate, 3β-acetoxylanost-8-en-24-one, lanost-8-en-3-ol-24-one, 24-ketolanosterol, oxysterol, oxylanosterol, 3-hydroxy-3-methylglutaryl CoA reductase, 255
15-ketosterol, metabolism, chylomicrons, 29
15-ketosterol, sterol synthesis, 15-oxygenated sterol, 153

Langmuir-Wilhelmy balance, lung surfactant, respreading of lipids, minimium surface tension, 59
lanost-8-en-3-ol-24-one, 3β-acetoxylanost-8-en-24-one, 24-ketolanosteryl acetate, 24-ketolanosterol, oxysterol, oxylanosterol, 3-hydroxy-3-methylglutaryl CoA reductase, 255
linoleic acid hydroperoxide, photolysis, structure of products, solvent effect, 281
lipid hydroperoxide, luciferin, lipid peroxidation, chemiluminescence, site-specific reaction, 197
lipid peroxidation, lipid hydroperoxide, luciferin, chemiluminescence, site-specific reaction, 197
lipid X, thermodynamic properties, magnetic resonance techniques, micelle size, chain packing, effects of pH and ions, 267
liposome, glycosaminoglycan, low density lipoprotein, electron spin resonance, fluorescence, 83
liposome, pressure effect, fluorescence polarization, poly(γ-benzyl-L-glutamate), peptide-lipid interaction, 169
liposomes, dimyristoylphosphatidylcholine, cyclosporin A, phase transition, 1
low-density lipoproteins, electron spin resonance, differential scanning calorimetry, 135
low density lipoprotein, glycosaminoglycan, electron spin resonance, fluorescence, liposome, 83
luciferin, lipid hydroperoxide, lipid peroxidation, chemiluminescence, site-specific reaction, 197
lung surfactant, Langmuir-Wilhelmy balance, respreading of lipids, minimium surface tension, 59

magnetic resonance techniques, lipid X, thermodynamic properties, micelle size, chain packing, effects of pH and ions, 267
marine invertebrates, sponges, phospholipids, (6*Z*,9*Z*)-6,9-hexacosadienoic acid, cholesterol, phase transition, 109
metabolism, 15-ketosterol, chylomicrons, 29
metastability, 1,2-dipalmitoyl-*sn*-glycero-3-phosphorylcholine, palmitic acid, X-ray diffraction, phase transition, phase diagram, 205
micelle size, lipid X, thermodynamic properties, magnetic resonance techniques, chain packing, effects of pH and ions, 267
minimium surface tension, lung surfactant, Langmuir-Wilhelmy balance, respreading of lipids, 59
miscibility gap, phase diagrams, homologous cephalines, differential scanning calorimetry, mixing behaviour, 245
mixing behaviour, phase diagrams, homologous cephalines, differential scanning calorimetry, miscibility gap, 245
mode of action, herbicide, bimolecular lipid membrane, 91
molecular conformation, crystal structure analysis, 1,2-diglycerides, 19
Mycobacterium gastri, phenolic glycolipid, 129

nuclear magnetic resonance, 15-oxygenated sterols, synthesis, 7

2,2′-oxirane, boron trifluoride, cyclization, epoxy, fatty esters, tetrahydropyran, bicyclo ketal, 77
15-oxygenated sterols, synthesis, nuclear magnetic resonance, 7
15-oxygenated sterol, sterol synthesis, ketosterol, 153
oxylanosterol, 3β-acetoxylanost-8-en-24-one, 24-ketolanosteryl acetate, lanost-8-en-3-ol-24-one, 24-ketolanosterol, oxysterol, 3-hydroxy-3-methylglutaryl CoA reductase, 255
oxysterol, 3β-acetoxylanost-8-en-24-one, 24-ketolanosteryl acetate, lanost-8-en-3-ol-24-one, 24-ketolanosterol, oxylanosterol, 3-hydroxy-3-methylglutaryl CoA reductase, 255

palmitic acid, 1,2-dipalmitoyl-*sn*-glycero-3-phosphorylcholine, X-ray diffraction, phase transition, phase diagram, metastability, 205

peptide-lipid interaction, pressure effect, liposome, fluorescence polarization, poly(γ-benzyl-L-glutamate), 169
phase diagram, 1,2-dipalmitoyl-*sn*-glycero-3-phosphorylcholine, palmitic acid, X-ray diffraction, phase transition, metastability, 205
phase diagrams, homologous cephalines, differential scanning calorimetry, mixing behaviour, miscibility gap, 245
phase transition, 1,2-dipalmitoyl-*sn*-glycero-3-phosphorylcholine, palmitic acid, X-ray diffraction, phase diagram, metastability, 205
phase transition, liposomes, dimyristoylphosphatidylcholine, cyclosporin A, 1
phase transition, marine invertebrates, sponges, phospholipids, (6*Z*, 9*Z*)-6,9-hexacosadienoic acid, cholesterol, 109
phase transition, surfactant lipid-membrane interaction, dilauroylphosphatidic acid, vesicle, 189
phenolic glycolipid, *Mycobacterium gastri*, 129
phospholipids, cholecalcipherol, differential scanning calorimetry, head groups structure, thermodynamic model, 69
phospholipids, marine invertebrates, sponges, (6*Z*,9*Z*)-6,9-hexacosadienoic acid, cholesterol, phase transition, 109
phospholipid synthesis, solvent and catalyst effects, 99
photolysis, linoleic acid hydroperoxide, structure of products, solvent effect, 281
phytanic acid, deuterium, pristanic acid, Favorsky, quantitation, GCMS, 141
plasma desorption mass spectrometry, ganglioside, 2,4-dinitrophenylhydrazide, high performance liquid chromatography, proton magnetic resonance spectrometry, 261
poly(γ-benzyl-L-glutamate), pressure effect, liposome, fluorescence polarization, peptide-lipid interaction, 169
polymerizable, tubule-forming phospholipid, differential scanning calorimetry, thermotropic phase behavior, 215
potassium permanganate oxidation, 9,12-epoxyoctadeca-9,11-dienoic acid, *erythro*-9,10-dihydroxy-12-oxooctadecanoic acid, furanoid fatty acid, 289
pressure effect, liposome, fluorescence polarization, poly(γ-benzyl-L-glutamate), peptide-lipid interaction, 169
pristanic acid, deuterium, Favorsky, quantitation, GCMS, phytanic acid, 141
proton magnetic resonance spectrometry, ganglioside, 2,4-dinitrophenylhydrazide, high performance liquid chromatography, plasma desorption mass spectrometry, 261

quantitation, deuterium, pristanic acid, Favorsky, GCMS, phytanic acid, 141

respreading of lipids, lung surfactant, Langmuir-Wilhelmy balance, minimium surface tension, 59

site-specific reaction, lipid hydroperoxide, luciferin, lipid peroxidation, chemiluminescence, 197
solvent and catalyst effects, phospholipid synthesis, 99
solvent effect, linoleic acid hydroperoxide, photolysis, structure of products, 281
sponges, marine invertebrates, phospholipids, (6*Z*,9*Z*)-6,9-hexacosadienoic acid, cholesterol, phase transition, 109
sterol synthesis, 15-ketosterol, 15-oxygenated sterol, 153
structure of products, linoleic acid hydroperoxide, photolysis, solvent effect, 281
surfactant lipid-membrane interaction, dilauroylphosphatidic acid, vesicle, phase transition, 189
synthesis, cyclic fatty acid monomers, GC-MS, 119
synthesis, deoxy-headgroup analogues, 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1′-(1′- 3′-propanediol), 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1′-propanol, 2,3-diphytanyl-*sn*--glycerol-1-phosphoryl-1′-(1′,3′-propanediol-3′-phosphate, 177
synthesis, 15-oxygenated sterols, nuclear magnetic resonance, 7

tetrahydropyran, boron trifluoride, cyclization, 2,2′-oxirane, epoxy, fatty esters, bicyclo ketal, 77
thermodynamic model, phospholipids, cholecalcipherol, differential scanning calorimetry, head groups structure, 69
thermodynamic properties, lipid X, magnetic resonance techniques, micelle size, chain packing, effects of pH and ions, 267
thermotropic phase behavior, differential scanning calorimetry, polymerizable, tubule-forming phospholipid, 215
tritium-labeled cholesterol oleate, ^{13}C-enriched cholesterol oleate, high-performance liquid chromatography, ^{13}C-nuclear magnetic resonance, 147

vesicle, surfactant lipid-membrane interaction, dilauroylphosphatidic acid, phase transition, 189

X-ray diffraction, 1,2-dipalmitoyl-*sn*-glycero-3-phosphorylcholine, palmitic acid, phase transition, phase diagram, metastability, 205

Chemistry and Physics of Lipids, 48 (1988) 301—302
Elsevier Scientific Publishers Ireland Ltd.

Author Index

Volume 48 (1988)

Alaiz, M. 289
Almog, S. 231
Ando, S. 261
Arnold, K. 83
Ayanoğlu, E. 109
Azizova, O.A. 83

Bor, A. 231
Brezesinski, G. 245
Brnjas-Kraljevic, J. 135
Burke, T.G. 215

Cambria, A. 69
Castelli, F. 69
Chitrakorn, S. 255
Christophe, A. 29
Chu, A.J. 29

Dalziel, A.W. 215
Deev, A.I. 83
Demel, R.A. 267
Demirev, P. 261
Djerassi, C. 109
Dörfler, H.-D. 245
Dorset, D.L. 19
Düzgünes, N. 109

Fagan, S.M. 59
Fenselau, C. 261
Firl, J. 281
Fournié, J.-J. 129
Fujii, T. 197
Fukushima, K. 189
Fukuzawa, K. 197

Gerber, G.E. 99
Grosch, W. 281
Gurrieri, S. 69

Hattenbach, A. 91
Hauser, H. 267
Herak, J.N. 135
Herrmann, K. 83
Hidalgo, F.J. 289
Higashi, Y. 169
Honda, H. 255

Inoue, T. 189
Iwanaga, T. 189
Izumi, A. 29

Johnson, D.W. 141

Kan, L.-S. 261
Kates, M. 177
Keough, K.M.W. 59
Kishimoto, Y. 261
Kisic, A. 7,29
Knipping, G. 135
Koynova, R.D. 205
Krumbiegel, M. 83

Laggner, P. 205
Le Quéré, J.L. 119
Lei Ken Jie, M.S.F. 77
Li, H. 109
Lichtenberg, D. 231
Linsel, G. 91
Lipka, G. 135,267

Mangroo, D. 99
Maza, M.P. 289
Miethe, P. 245
Miki, M. 197
Millán, F. 289
Miller, L.R. 153
Mino, M. 197
Miyazaki, K. 261
Müller, K. 135

Nir, S. 231

Pajewski, T.N. 153
Panasenko, O. 83
Pangborn, W.A. 19
Parish, E.J. 255
Pifat, G. 135
Pinkerton, F.D. 153
Poulos, A. 141
Price, R.R. 215
Puzo, G. 129

Quinn, P.J. 205

Raudino, A. 69
Rivière, M. 129
Rudolph, A.S. 215

Schieberle, P. 281
Schoen, P.E. 215
Schroepfer Jr., G.J. 7,29,153
Sédédio, J.L. 119
Sheridan, J.P. 215
Sherrill, B.C. 29
Shimozawa, R. 189
Singh, A. 215
Smith, I.C.P. 177
Sripada, P.K. 147
Stanacev, N.Z. 1
Stewart, L.C. 177
Stoskopf, M. 261
Stuhne-Sekalec, L. 1
Suezaki Y. 189
Suzuki, A. 169
Takauchi, K. 197
Tamai, H. 197
Tamura, K. 169
Tanaka, T. 261
Taylor, F.R. 255
Tenchov, B.G. 205
Trebert, Y. 281

Vatèle, J.M. 119
Vercellone, A. 129
Vioque, E. 289
Volnova, T. 83

Wang, K.-S. 7
Werker, E. 231
Wilson, W.K. 7
Yoshimura, T. 197

Zamora, R. 289
Zheng, Y.F. 77
Zschoernig, O. 83